

## Pot Cores (5695110821)



Part Number: 5695110821

95 POT CORE SET


Pot cores have found application in all types of inductive devices. The core configuration provides a high degree of self-shielding. It also facilitates gapping to enhance utility for a variety of magnetic designs.

 $\square Pot$  cores can be supplied with the center post gapped to a mechanical dimension or an  $A_L$  value.

Weight indicated is per pair or set.

Weight: 1.9.000 (g)

Dim	mm	mm tol	nominal inch	inch misc.
A	11.1	±0.20	0.437	_
В	3.3	±0.10	0.13	_
С	6.8	±0.25	0.268	_
D	2.3	±0.15	0.091	_
Е	9.2	±0.20	0.362	_
F	4.6	±0.10	0.181	_
G	2.2	±0.30	0.087	_



## **Chart Legend**

 $\Sigma l/A \ : \ Core \ Constant, \quad l_e: \ Effective \ Path \ Length, \quad A_e: \ Effective \ Cross-Sectional \ Area, \quad V_e: \ Length, \quad A_e: \ Effective \ Cross-Sectional \ Area, \quad V_e: \ Length, \quad A_e: \ Length, \quad$ 

Effective Core Volume  $A_L$ : Inductance Factor

Explanation of Part Numbers: Digits 1 & 2 = product class and 3 & 4 = material grade.

Electrical Properties		
$A_L(nH)$	1900 ±25%	
Ae(cm <sup>2</sup> )	0.173	
$\Sigma l/A(cm^{-1})$	9.5	
$l_e(cm)$	1.65	
$V_{\rm e}({\rm cm}^3)$	0.284	

Electrical	Properties
$A_{\min}(\text{cm}^2)$	0.145

 $A_{\scriptscriptstyle L}$  value is measured at 1 kHz, B < 10 gauss.

Fair-Rite Products Corp. • One Commercial Row, Wallkill, New York 12589-0288 888-324-7748 • 845-895-2055 • Fax: 845-895-2629 • ferrites@fair-rite.com • www.fair-rite.com