

Pot Cores (5678090621)



Part Number: 5678090621

78 POT CORE SET

Pot cores have found application in all types of inductive devices. The core configuration provides a high degree of self-shielding. It also facilitates gapping to enhance utility for a variety of magnetic designs.

Pot cores can be supplied with the center post gapped to a mechanical dimension or an A_L value.

Catalog Drawing 3D Model

Weight indicated is per pair or set.

Weight: 1.000 (g)

Dim	mm	mm tol	nominal inch	inch misc.
A	9.15	±0.15	0.36	
	2.65	±0.10	0.104	_
С	5.65	±0.15	0.222	_
D	1.8	min	0.071	min
Е	7.5	min	0.295	min
F	3.8	±0.10	0.15	_
G	2.1	±0.30	0.083	_




Chart Legend

 $\Sigma l/A \ : \ Core \ Constant, \quad l_{_e}: \ Effective \ Path \ Length, \quad A_{_e}: \ Effective \ Cross-Sectional \ Area, \quad V_{_e}: \ Length, \quad A_{_e}: \ Effective \ Cross-Sectional \ Area, \quad V_{_e}: \ Length, \quad A_{_e}: \ Length,$

Effective Core Volume A_L : Inductance Factor

Explanation of Part Numbers: Digits 1 & 2 = product class and 3 & 4 = material grade.

Electrical	Electrical Properties		
$A_L(nH)$	1200 ±25%		
Ae(cm ²)	0.112		
$\Sigma l/A(cm^{-1})$	12		

Electrical Properties		
$l_e(cm)$	1.35	
$V_{e}(cm^{3})$	0.152	
$A_{\min}(\text{cm}^2)$	0.09	

 $A_{\!\scriptscriptstyle L}$ value is measured at 1 kHz, B < 10 gauss.

Fair-Rite Products Corp. • One Commercial Row, Wallkill, New York 12589-0288 888-324-7748 • 845-895-2055 • Fax: 845-895-2629 • ferrites@fair-rite.com • www.fair-rite.com