

Part Number: 8998121221

98 EFD CORE SET

**EFD (Economical Flat Design) cores have been designed to maximize volume in a low profile geometry. EFD cores allow maximum throughput power density with reasonably low mass for board level installation.**

EFD cores can be supplied with the center post gapped to a mechanical dimension or an  $A_L$  value.


[Catalog Drawing](#)

[3D Model](#)

Weight indicated is per pair or set.

Weight: 1.8 (g)

Dim	mm	mm tol	nominal inch	inch misc.
A	12.5	± 0.35	0.492	—
B	6.2	± 0.15	0.244	—
C	3.5	± 0.20	0.138	—
D	4.55	± 0.15	0.179	—
E	9	± 0.35	0.354	—
F	5.4	± 0.20	0.213	—
K	2	± 0.10	0.079	—



### Chart Legend

$\Sigma l/A$  : Core Constant,  $l_e$  : Effective Path Length,  $A_e$  : Effective Cross-Sectional Area,  $V_e$  : Effective Core Volume

$A_L$  : Inductance Factor 

Explanation of Part Numbers: Digits 1 & 2 = product class and 3 & 4 = material grade.

Electrical Properties	
$A_L$ (nH)	730 ±25%
$A_e$ (cm <sup>2</sup> )	0.11
$\Sigma l/A$ (cm <sup>-1</sup> )	25.9
$l_e$ (cm)	2.84

Electrical Properties	
$V_e(\text{cm}^3)$	0.311
$A_{\text{min}}(\text{cm}^2)$	0.108

$A_L$  value is measured at 1 kHz,  $B < 10$  gauss.

Fair-Rite Products Corp. • One Commercial Row, Wallkill, New York 12589-0288  
888-324-7748 • 845-895-2055 • Fax: 845-895-2629 • ferrites@fair-rite.com • www.fair-rite.com