NOTES:


1 - BURNISH TO BREAK SHARP EDGES.


UNCONTROLLED COPY WHEN PRINTED

 \Box

2







				i
	144	ℓe (mm)		
	248	<i>le</i> (mm) Ae (mm²) Ve (mm³) L (nн)		Εl
	35,812	Ve (mm³)		_ECTRI
	2.155	し (пн)		ELECTRICAL SPECIFICATIONS
MEASURED WITH N=1 TURN, WL=3"	TBD Min.	AT 50MHz	IMPE	PECIFI
	TBD Min.	AT 100MHz	IMPEDANCE (OHMS)	CATION
	TBD Min. TBD Min. TBD Min. 375 Min.	AT 50MHz AT 100MHz AT 250MHz AT 100KHz	MS)	S
VL=3"	375 Min.	AT 100kHz	AL(nH/T²)	

Bold numbers are in millimeters**, light numbers are in inches

TITLE	F
	FAIR-RITE
	PRODUCTS
	CORP.

APPRVD BY	CHKD BY	DRAWN BY DATE B. ANDERSON 02-21-2025	HILL
		DATE 02-21-2025	ROUN
IVUS	π	SIZE	5
SCALE NONE	2652828302 ~	SIZE PART NO.	ROUND SUPPRESSION CORE
LAJHS	283))]	NON
SHEET 1 of 1	02))	COR
, 1	2	REV	гп

FR# 52